

## **SILVERLINK 600**



DF46 - Silverlink 600 Electric Counter-top Single Tank Fryer - 2 Baskets - W 450 mm - 6.0 kW The Silverlink 600 Electric Single Tank Counter Top Fryer delivers 56kg of chips per hour and features a twin basket operation which gives you the flexibility of cooking different foods or loads simultaneously.

- Single tank fryer with twin basket operation giving you the flexibility to cook different foods or loads simultaneously, delivering 56kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

### **Specifications**

- Capacitaniania					
Summary		Power and Performance	Power and Performance		
Range Name	Silverlink 600	Total Power kW	6.0		
Power Type	Electric	Temperature Range °C	130 - 190		
Unit Type	Counter-top	IP Rating	IP33		
Available in UK Only	No	Temperature Control	Mechanical		
UK Warranty	2 Years Parts and Labour Warra	nty			
Export Warranty	Contact your local dealer				
GTIN Code	5056105104629				

Key Specifications		Weights and Dimensions	
Capacity Litres	15.0	Unit Height (External) mm	330
Number of Baskets	2	Unit Width (External) mm	450
Number of Tanks	1	Unit Depth (External) mm	632
Gravity Filtration	No	Net Weight Kg	18
Pumped Filtration	No		
Drain Location	Front-mounted		

Supply Connections		Shipping	Shipping	
Requires Installation	Yes	Packed Weight Kg	21.7	
Requires Electrical Supply	Yes	Packed Height cm	49.5	
UK 3 Pin Plug	No	Packed Width cm	70	
Requires Hardwiring	Yes	Packed Depth cm	55	
Electrical Supply Rating Watts	6,000			
Single Phase Amps	26.0			
Single Phase Voltage	230			
Three Phase Amps	L1=13.0; L2=13.0; L3=N/A			
Three Phase Voltage	400			

#### **Available Accessories**

BA96	BASKET SPUN DFSMALL
CC4	Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm
CN4	Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm

Product Code: DF46 Page Number: 1 Print Date: 22/05/2019



# **SILVERLINK 600**

### **Available Accessories**


DC03 DONUT KIT FOR DF46


**HC4** Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW


**HCL4** Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW

**SLS4** Silverlink 600 Free-standing Floor Stand - for units W 450 mm

### **Technical Picture**













**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 503250

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm



**Print Date:** 22/05/2019 **Product Code: DF46** Page Number: 3