





EB6TFX - FilterFlow Counter-top Automatic Fill Twin-Tap Water Boiler - W 250 mm - 6.0 kW The FilterFlow Automatic Fill Electric Twin-Tap Water Boiler is perfect for busy periods, such as when a coach load of holiday makers pull up outside your cafe and they all want hot drinks.

- Twin tap version, ideal for the busiest periods
- Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit

Specifications Summary **Power and Performance** Range Name **Hot and Cold Water Output** FilterFlow Νo **Rapid Draw Off Litres Power Type** 18 N Electric Total Power kW Unit Type Counter-top 6.0 Available in UK Only Temperature Range °C 70 - 98 **UK Warranty** 2 Years Parts and Labour Warranty **IP Rating** IP23 **Export Warranty Rapid Draw Off Cups** Contact your local dealer 90 **GTIN Code Hourly Output Litres** 5056105105572 60 **Hourly Output Cups** 300 **Temperature Control** Electronic **Key Specifications Weights and Dimensions Capacity Litres** Unit Height (External) mm 22.0 685 Unit Width (External) mm Outlet 250 Twin-tap Dispense Lock Unit Depth (External) mm Νo 525 **WRAS Approved** Net Weight Kg 16.2 Yes **Supply Connections Shipping Requires Installation** Packed Weight Kg 19 Yes **UK 3 Pin Plug** Packed Height cm 53 Nο Packed Width cm Requires Hardwiring 78 5 Yes **Electrical Supply Rating Watts** Packed Depth cm 6,000 36.6 Single Phase Amps 26.0 Single Phase Voltage 230 Water Connection BSPT 3/4 **Water Connection Pressure Bar** 6.0

Available Accessories

BR56 EB6FX WALL BRACKET



Filter


Available Accessories


DP10 DESCALER POWDER

FC04 EBFX WATER FILTER - FROM 2015

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm