



Lincat Specialist

PRODUCT FEATURES

- Wall mounted fume filtration unit
- Ideal for any food business using electric catering equipment
- Reducing airborne grease particles and removing cooking smells
- Only electric appliances with a power rating up to 9kW
- Not suitable for use with gas appliances
- Easy to clean, filters need changing periodically
- Ideally placed above Lincat's Lynx 400 and Silverlink 600 products

An ideal companion to Lynx 400 and Silverlink 600 electric appliances, the wall-mounted Lincat Fume Filtration Unit is designed to reduce grease deposits and remove cooking odours to create a clean and fresh working environment. A great solution for smaller kitchens with no gas appliances, its powerful centrifugal fans effectively pull fumes and other air contaminants through a three part filtration system.

A/A FILE NUMBER:

ITEM NUMBER:



LINCAT SPECIALIST ELECTRIC BUILT-IN FUME FILTRATION UNIT - W 924 MM - 0.35 KW

MODEL: L3

WEIGHTS & DIMENSIONS

Width	924 mil
Depth	620 mil
Height	560 mil
Weight	30.8 kg

SHIPPING DETAILS

Ship Width	114 cm
Ship Depth	75 cm
Ship Height	58 cm
Ship Weight	33.88 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	No
Drain Line Required	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	1.5 A
Electrical Volts	230V
Electrical Total Wattage	350 W
Electrical Kilowatts	0.35 kW
Electrical Phase	1-Phase

Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	No
Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel
Control Type	Mechanical
Fire Suppression System	No
Hood Type	Canopy
Ventilation Hood Type Rating	Not Applicable
Ventless Cooking Technology	No

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

