



### Opus 800

#### PRODUCT OPTIONS AND ACCESSORIES

- OA8952 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 1200 mm
- RC03M RADIANT COVER - OPUS 800

#### PRODUCT FEATURES

- Seven multiple heat zones can form differing temperature on the same surface, allowing you to cook chicken fillets only inches away from steaks. Individual zones can be turned off during quiet periods.
- Highly powerful infrared burners respond quicker and heat faster than standard burners allowing you to increase your output and achieve energy savings
- Heavy-duty cast iron branding grids with reversible design, for uninterrupted cooking and self cleaning at maximum power
- Flame failure protection
- Heavy duty radiant caps protect burners

Embrace the unique power and versatility of the Opus 800 Seven-Zone Gas Chargrill, which provides seven heat zones capable of maintaining different temperatures on the same surface, allowing you to cook chicken fillets only inches away from steaks. Highly powerful infrared burners respond quicker and heat faster than standard burners, allowing you to increase your output and achieve energy savings at the same time. Perfect for any busy commercial kitchen, the chargrill comes with heavy-duty cast iron branding grids with a reversible design for uninterrupted cooking and self cleaning at maximum power. There's also flame failure protection for added safety.

AIA FILE NUMBER:

ITEM NUMBER:

**WEIGHTS & DIMENSIONS**

Width	1200 mm
Depth	806 mil
Height	653 mm
Weight	150 kg

**SHIPPING DETAILS**

Ship Width	130 cm
Ship Depth	806 cm
Ship Height	82 cm
Ship Weight	165 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

**PRODUCT CERTIFICATIONS**



**ENERGY SPECS**

Primary Energy Source Type	Gas	Gas Inlet Size	0.5 in
Kilowatts	29.4 kW	Gas Inlet Pressure Required	37 mBar
Electrical Connection Type	Not Applicable	Gas Total BTUs	100313 BTU
Electrical Plug Type	Not Applicable	Gas Consumption at Max Use Per Hour	2.1 m <sup>3</sup>
Number of Electrical Plugs	Not Applicable	Total Heat Input at Max Use	29.4 kW, 100313 BTU per hour
Dedicated Circuit Required	Yes	Energy Saving	Yes
Gas Type	Propane		

**ADDITIONAL SPECIFICATIONS**

Base Type	Not Applicable	Grate Type	Cast Iron
Burner Material	Stainless Steel	Ignition Type	Pilot Light
Charbroiler Type	Countertop	Legs or Casters	Not Applicable
Control Type	Mechanical, Rotary Control Knob	Number of Burners	7
Cooking Area Plate Depth	620 mm	Number Of Controls	7
Cooking Area Plate Width	1100 mm	Number of Heating Zones	7
Food Production Rate	177 x 225g [8oz] steaks [chilled] per hour	Radiant Material	Ceramic Plaque
		Slide Out Warming Rack	No
		Towel Bar	No

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

**TECHNICAL DRAWING**

