



**SILVERLINK 600**

#### PRODUCT OPTIONS AND ACCESSORIES

- SLR6/SB - Splashback

#### PRODUCT FEATURES

- Four powerful gas burners with flame failure device for added safety
- High power gas oven
- Fully pressed and sealed hob tops for easy cleaning
- Robust, easy-to-clean vitreous enamelled cast iron pan supports
- Low level flue maximises working area and enables you to use large stock pots
- Four shelf positions with two removable shelves

Cook a variety of delicious dishes with the powerful Silverlink 600 Gas Oven Range. The four gas burners not only offer power, but also come with a flame failure device for added safety. The oven range, perfect for cafe bars, care homes and small restaurants, has a high power gas oven, and also comes with a low level flue which maximises the working area and enables you to use large stock pots. The fully pressed and sealed hob tops make for easy cleaning, and there are four shelf positions with two removable shelves.

**WEIGHTS & DIMENSIONS**

|        |         |
|--------|---------|
| Width  | 485 mm  |
| Depth  | 600 mm  |
| Height | 956 mm  |
| Weight | 67.9 kg |

**SHIPPING DETAILS**

|                          |                                |
|--------------------------|--------------------------------|
| Ship Width               | 81.3 cm                        |
| Ship Depth               | 68.5 cm                        |
| Ship Height              | 110 cm                         |
| Ship Weight              | 74.69 lb                       |
| Ship Method              | Small Parcel (FedEx, UPS, DHL) |
| Shipping Package Type    | Pieces                         |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM        |
| Quick Ship Product       | No                             |

**PRODUCT CERTIFICATIONS**



**ENERGY SPECS**

|                                     |                             |
|-------------------------------------|-----------------------------|
| Primary Energy Type                 | Gas                         |
| Electrical Kilowatts                | 23.8 kW                     |
| Gas Type                            | Natural Gas                 |
| Gas Total BTUs                      | 81206 BTU                   |
| Gas Inlet Size                      | 0.5 in                      |
| Gas Inlet Pressure Required         | 20 mBar                     |
| Gas Consumption at Max Use Per Hour | 2.27 m <sup>3</sup>         |
| Total Heat Input at Max Use         | 23.8 kW, 81209 BTU per hour |

**ADDITIONAL SPECIFICATIONS**

|                             |                                 |                             |               |
|-----------------------------|---------------------------------|-----------------------------|---------------|
| Construction Materials      | Stainless Steel                 | Open or Sealed Burners      | Sealed        |
| Control Type                | Mechanical, Rotary Control Knob | Oven Power Rating           | 5.8 kW        |
| Exterior Trim Finish Color  | Stainless Steel                 | Oven Temperature Minimum    | 130 °C        |
| High Altitude Kit Available | No                              | Oven Temperature Maximum    | 250 °C        |
| Number of Heating Zones     | 4                               | Shelf Depth                 | 342 mm        |
| Number of Hot Top Burners   | 4                               | Shelf Width                 | 480 mm        |
| Number of Shelf Positions   | 4                               | Ventless Cooking Technology | No            |
| Number of Shelves           | 2                               | Cooking Equipment           | Sealed Burner |
|                             |                                 | BTUs Per Burner             | 4.5 kW        |

| SELECT COOKING EQUIPMENT | NUMBER OF | POWER RATING | ARRANGE-<br>MENT | WIDTH  | DEPTH  |
|--------------------------|-----------|--------------|------------------|--------|--------|
| Sealed Burner 1          | 4         | 5.8          | Center           | 300 mm | 300 mm |



**LINCAT SILVERLINK 600 NATURAL GAS FREE-STANDING OVEN  
RANGE - LEGS AT REAR - 4 BURNERS - W 600 MM - 23.8 KW**

**MODEL: SLR6C/N**

| SELECT BASE EQUIPMENT | NUMBER OF | CUBIC CAPACITY EACH | WIDTH  | DEPTH  | HEIGHT |
|-----------------------|-----------|---------------------|--------|--------|--------|
| Standard Oven 1       | 1         |                     | 485 mm | 342 mm | 400 mm |

**BIDDING SPECIFICATIONS (SHORT FORM SPECS)**

Bidding Specifications Not Available.



### TECHNICAL DRAWING

